




SKF BEARING USA CORP.

1-3/4 in x 2-1/8 in x 1 in Koyo NRB J-2816 Drawn Cup Needle Roller Bearings



Bearing No. J-2816

J-2816 Bearing 2D drawings and 3D CAD models

Size	44.450x53.975x25.40 mm
Bore Diameter	44.450 mm
Outer Diameter	53.975 mm
Width	25.40 mm
Fw	44.450 mm
D	53.975 mm
C	25.40 mm
Weight	0.091 Kg
Basic dynamic load rating (C)	40.08 kN
Basic static load rating (C0)	72.95 kN
(Grease) Lubrication Speed	4700 r/min
Category	Needle Non Thrust Roller Bearings
Inventory	41.0
Manufacturer Name	KOYO
Minimum Buy Quantity	N/A
Weight / Kilogram	0.091
EAN	0605790195525
Product Group	B04144
Rolling Element	Needle Roller Bearing
Component	Roller Assembly with Outer Ring - No Inner Ring
Enclosure	Open
Self Aligning	No
Retainer	Yes



SKF BEARING USA CORP.

Number of Rows of Rollers	Single Row
Separable	No
Closed End	No
Inch - Metric	Inch
Relubricatable	No
Thrust Bearing	No
Long Description	1-3/4" Bore; 2-1/8" Outside Diameter; 1" Width; Needle Roller Bearing; Roller Assembly with Outer Ring - No Inner Ring; Open Enclosure; No Self Aligning; Yes Retainer; Single Row of Rol
Other Features	2 Rib Outer Ring Drawn Cup Bearing Steel Cage
Category	Needle Non Thrust Roller Bearing
UNSPSC	31171512
Harmonized Tariff Code	8482.40.00.00
Noun	Bearing
Keyword String	Needle
Manufacturer URL	http://www.koyousa.com
Manufacturer Item Number	J-2816
Weight / LBS	0.2
Outside Diameter	2.125 Inch 53.975 Millimeter
Bore	1.75 Inch 44.45 Millimeter
Width	1 Inch 25.4 Millimeter
Bearing No.	J-2816
Y(max)	1.27
Cr	40.08
C0r	72.95
Cu	11.4
Grease lub.	4700



SKF BEARING USA CORP.

Oil lub.	7300
(Refer.) Mass(kg)	0.091
Mounting inner ring	IR-2316